

HP LaserJet Managed Flow MFP E826z Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers¹ you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.

Always on guard with HP Wolf Security⁴


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁷ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁸
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.⁹

Product walkaround

1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
3. 500-sheet output bin
4. Automatic two-sided printing
5. Easy-access USB port²
6. Front door access to toner cartridges
7. HP High-Performance Secure Hard Disk
8. Slot for cable-type security lock
9. SuperSpeed USB 3.0 Host Port
10. Hi-Speed USB 2.0 Host Port
11. Gigabit Ethernet Port
12. SuperSpeed USB 3.0 device port
13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
15. 10.1 inch (25.6 cm) color touchscreen display
16. Power button
17. Full size keyboard
18. Right door access to the print path
19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

| | | | |
|---|---|--|--|
| Model | HP LaserJet Managed Flow MFP E826z | | |
| Product number | 5QK13A | 5QK13A (Base) + 8EP63AAE (Speed license) | 5QK13A (Base) + 8EP64AAE (Speed license) |
| Print speed (A4 and letter, Black)³ | Up to 50 ppm | Up to 60 ppm | Up to 70 ppm |
| Scan speed (A4 and letter, Black)⁴ | 150 ppm/300 ipm, simplex/duplex | | |
| Functions | Print, copy, and scan (fax and wireless optional) (all models) | | |
| ADF capacity | 300 sheets | | |
| Input capacity | Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | | |
| Advanced workflow features | HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation | | |

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ The E826 series Flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world’s most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP’s goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

| | |
|----------------------------|--|
| Service and Support | <p>U03HZE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U03JOE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04MWE - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04MXE - HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04MYE - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04MZE - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04NOE - HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04N1E - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>U04N2E - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>U04N3E - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>U04N4E - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>U04N5PE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04N6PE - HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04N7PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04N8PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx</p> <p>U04N9PE - HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>U04NBPE - HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)</p> <p>USPR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP</p> |
| Solutions | <p>Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights</p> <p>Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App</p> <p>Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator’s Resource Kit</p> |

Front panel optional colors



*Available with optional color panel accessories

| | | |
|-----------------------|--|--|
| Accessories | 155P7A | HP LaserJet InnerFinisher 2/3 Hole Punch |
| | 155P8A | HP LaserJet InnerFinisher 2/4 Hole Punch |
| | 190A3A | HP LaserJet Department Lunar Gray Color Panel |
| | 190A4A | HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel |
| | 190A5A | HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel |
| | 190A8A | HP LaserJet Department Stand Lunar Gray Color Panel |
| | 190B3A | HP LaserJet Department Comet Red Color Panel |
| | 190B4A | HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel |
| | 190B5A | HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel |
| | 190B8A | HP LaserJet Department Stand Comet Red Color Panel |
| | 190C3A | HP LaserJet Department Cosmic Green Color Panel |
| | 190C4A | HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel |
| | 190C5A | HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel |
| | 190C8A | HP LaserJet Department Stand Cosmic Green Color Panel |
| | 190D3A | HP LaserJet Department Constellation Yellow Color Panel |
| | 190D4A | HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel |
| | 190D5A | HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel |
| | 190D8A | HP LaserJet Department Stand Constellation Yellow Color Panel |
| | 190F3A | HP LaserJet Department Aurora Purple Color Panel |
| | 190F4A | HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel |
| | 190F5A | HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel |
| | 190F8A | HP LaserJet Department Stand Aurora Purple Color Panel |
| | 2NR12A | HP Removable Hard Drive Enclosure |
| | 2TD64A | HP Accessibility Kit |
| | 3JN69A | HP Jetdirect 3100w BLE/NFC/Wireless Accessory |
| | 478C2A | HP Printing Voice Assistant |
| | 4QL32A | HP Legic Secure USB Reader |
| | 4XN67A | Internal USB Expansion Kit |
| | 5QK14A | HP MFP 810 Analog Dual Fax |
| | 6GW47A | HP LaserJet 2x520 sheet Department Paper Tray/Stand |
| | 6GW49A | HP LaserJet Inner Finisher |
| | 6GW50A | HP LaserJet Department Job Separator |
| | 6GW51A | HP LaserJet Booklet Finisher |
| | 6GW53A | HP LaserJet Department Stand |
| | 6GW55A | HP LaserJet Stapler/Stacker Finisher |
| | 6GW56A | HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand |
| | 6GW57A | HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand |
| | 6HN30A | HP LaserJet Workflow Accelerator Card |
| | 6HN31A | HP 500GB CCC, FIPS, TAA Hard Disk Drive |
| | 7ZA07A | HP MFP 811 Analog Dual Fax |
| | 7ZA08A | HP MFP 800 Analog Single Fax |
| | 7ZA09A | HP MFP 801 Analog Single Fax |
| | 8FP31A | HP Jetdirect LAN Accessory |
| | 9EQ11A | HP 500GB CCC, FIPS Hard Disk Drive |
| | B5L31A | HP Foreign Interface Harness |
| | CC543B | HP SmartCard NIPRNet Solution for US Government |
| | F8B30A | HP SmartCard SIPRNet Solution for US Government |
| X3D03A | HP USB Universal Card Reader | |
| Y1G10A | HP LaserJet Hole Punch 2/3 Accessory | |
| Y1G13A | HP LaserJet Inner/Booklet Staples | |
| Y1G14A | HP LaserJet Stapler/Stacker Finisher Staples | |
| Y1G22A | HP LaserJet Paper Tray Heaters Accessory | |
| Y7C05A | HP HIP2 Keystroke Reader | |
| Y7C07A | HP SIM for HID iClass for HIP2 Reader | |
| Speed Licenses | 8EP63AAE | HP LaserJet Managed MFP E826 50 to 60ppm License |
| | 8EP64AAE | HP LaserJet Managed MFP E826 50 to 70ppm License |
| | 8LB51AAE | HP LaserJet Managed MFP E826 60 to 70ppm License |
| Supplies | 5PN53A | HP LaserJet Fuser 100V Kit |
| | 5PN66A | HP LaserJet Trays 2-x Roller Kit |
| | 5PN76A | HP LaserJet Fuser Kit 110V |
| | 5PN77A | HP LaserJet 220V Fuser Kit |
| | 5PN82A | HP LaserJet Black Developer Unit |
| | 5PN85A | HP LaserJet Image Transfer Kit |
| | 5RC00A | HP LaserJet ADF Maintenance Kit |
| | 5RC03A | HP LaserJet Flow MP Roller Kit |
| | JB95A | HP 300 ADF Roller Replacement Kit (Up to 150,000 pagesUp to 150,000 pages) |
| | W9016MC | HP W9016MC Managed LaserJet Toner Collection Unit |
| | W9084MC | HP W9084MC Black Managed LaserJet Toner Cartridge |
| | W9085MC | HP W9085MC High Yield Black Managed LaserJet Toner Cartridge |
| | W9086MC | HP W9086MC Black Managed LaserJet Imaging Drum |

* Inner finisher/inner finisher hole punches are not compatible with 70ppm ** HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Technical specifications

| | | | | |
|-----------------------------------|---|---------------------|-------------------------------------|-------------------------------------|
| Functions | Print, copy, scan, fax (optional) | | | |
| Print speed ^{1,2} | Letter Black | Up to 50ppm | Up to 60ppm (with 8EP63AAE) | Up to 70ppm (with 8EP64AAE) |
| | First page out Letter Black | As fast as 7.2 sec | As fast as 6.9 sec (with 8EP63AAE) | As fast as 6.8 sec (with 8EP64AAE) |
| Print resolution | Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi | | | |
| Print technology | Laser | | | |
| Print cartridges number | 1 (black) | | | |
| Standard print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible | | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | | |
| Color scanning | Yes | | | |
| Scan speed Normal ³ | Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex: Up to 300 ipm (b&w), up to 300 ipm (color) | | | |
| Scan type / Technology | Flatbed, ADF / Platen Scanner CCD Digital-CIS | | | |
| Scan resolution | Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi | | | |
| Scan file format | PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR) | | | |
| Scan input modes | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications | | | |
| Scan Size | ADF Maximum: 12 x 34 in ADF Minimum: 2.7 x 5 in Flatbed: 11.69 x 17 in | | | |
| Scanner advanced features | Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps | | | |
| Duplex ADF scanning | Yes, single pass duplex scanning | | | |
| ADF capacity | Standard, 300 sheets | | | |
| Twain version | Version 2.4 | | | |
| Bit depth / Grayscale levels | 24-bit/256 | | | |
| Digital sending standard features | Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination, embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten | | | |
| Copy speed ⁴ | Letter Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | Letter Black Duplex | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | First copy out Letter Black | As fast as 3.9 sec | As fast as 3.4 sec (with 8EP63AAE) | As fast as 3.3 sec (with 8EP64AAE) |
| Copy resolution | Black (text and graphics): ; Up to 600 x 600 dpi | | | |
| Maximum number of copies | Up to 9999 copies | | | |
| Copier resize | 25 to 400% | | | |
| Copier settings | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; | | | |
| Fax speed | Up to: 33.6 kbps / Letter: 3 sec per page | | | |
| Fax resolution | Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi | | | |
| Fax Features | Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No | | | |
| Standard connectivity | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) | | | |
| Network capabilities | Standard (built-in Gigabit 10/100/1000T Ethernet) | | | |
| Wireless capability | Optional, enabled with purchase of a hardware accessory | | | |
| Mobile printing capability | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print | | | |
| Memory | Standard: 6 GB; Maximum: 6 GB | | | |
| Processor speed | Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | | |
| Duty cycle (monthly) | Letter: | Up to 200,000 pages | Up to 250,000 pages (with 8EP63AAE) | Up to 300,000 pages (with 8EP64AAE) |
| Recommended monthly page volume | Up to 60,000 | | | |

Technical specifications

| | |
|---|---|
| Paper handling | Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3 |
| Media types supported | Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored |
| Media weight supported | Tray 1, 2, 3: 16 to 86.5 lb bond |
| Media sizes supported | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k |
| Media Sizes Custom | Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in |
| What's in the box | 50K13A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums. |
| Replacement cartridges⁴ | HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC |
| Product dimensions | W x d x h: 25.2 x 29.4 x 36.8 in; Maximum: 65.2 x 51.2 x 59.2 in; |
| Product weight | 182.7 lb; |
| Warranty features | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region. |
| Energy star certified | Yes |
| Ecolabels | EPEAT® registered; IT ECO Declaration; Blue Angel |
| Control panel | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker |
| Display description | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD) |
| Software included | No software solutions are included in the Box only on http://hp.com http://123.hp.com |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| Compatible operating systems | Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com , Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing , Unix- For more information see http://hp.com/go/unixmodelscripts , Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing , Unix- For more information see http://hp.com/go/unixmodelscripts , (All operating systems with the latest updates) |
| Minimum system requirements | PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com |
| Power | Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) |
| Acoustics | Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm |
| Operating environment | Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 86°F; Storage temperature range: 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH |

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: <http://www.hp.com/PrintersThatProtect>. For more information, visit: <http://www.hp.com/PrinterSecurityClaims>.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
- HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit <http://www.hp.com/wolfsecurity>.
- Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>.
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.
- Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.
- HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration and document.
- Acoustic values are subject to change. For current information see <https://www.hp.com/support>
- Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPEG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)



To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

