HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful, Flexible, Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers' you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
 or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁸
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.⁹

Product walkaround

- $1.\, \text{Hardware Integration Pocket (for connecting accessories and third-party devices)}^{\,1}$
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port2
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 \times 520-sheet dual tray/stand supports media sizes up to SRA3 (12 \times 18 in)





Model	HP Color LaserJet Managed Flow MFP E877z				
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, Black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, Black and color)4	150 (200)				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

¹ Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase. An administrator must enable the easy-access USB port before use. The E877 series Flow models include a 300-sheet ADF. The E877 series flow models include a 200-sheet ADF. The E877 series flow models include a 300-sheet ADF. The E877 series flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). Measured using to DIFC 24734, excludes First set of test documents. For more information, seeh p. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.
Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.
HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	UC3HDE - HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HGE - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HNE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HGE - HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HGE - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HGE - HP 9 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HGE - HP 9 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HMFE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx UC3HMFE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HMFE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx UC3HMFE - HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx UC3HMFE - HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) UC3HFE - HP 3 Installation Service for Foxoxx/E8xxxx MFP
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

	*Available with optional color panel accessories					
Accessories	155P7A	HP Laser Jet InnerFinisher 2/3 Hole Punch				
	190AZA	HP Color LaserJet Department Lunar Gray Color Panel				
	190A4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel				
	1904SA HP LassrJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel					
	190A8A					
	190B2A	HP Color LaserJet Department Comet Red Color Panel				
	190B4A	HP Laser Jet Department 2X520 sheet Paper Tray/Stand Comet Red Color Panel				
	190B5A	HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel				
	190B8A	HP LaserJet Department Stand Comet Red Color Panel				
	190C2A	HP Color LaserJet Department Cosmic Green Color Panel				
	190C4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel				
	190C5A	HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel				
	190C8A	HP LaserJet Department Stand Cosmic Green Color Panel				
	190D2A	HP Color LaserJet Department Constellation Yellow Color Panel				
	190D4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel				
	190D5A	HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel				
	190D8A	HP LaserJet Department Stand Constellation Yellow Color Panel				
	190F2A	HP Color LaserJet Department Aurora Purple Color Panel				
	190F4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel				
	190F5A	HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel				
	190F8A	HP LaserJet Department Stand Aurora Purple Color Panel				
	2NR12A	HP Removable Hard Drive Enclosure				
	2TD64A	HP Accessibility Kit				
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory				
	478C2A	HP Printing Voice Assistant				
	4QL32A	HP Legic Secure USB Reader				
	4XN67A	Internal USB Expansion Kit				
	5QK14A	HP MFP 810 Analog Dual Fax				
	6GW47A					
		HP LaserJet Inner Finisher				
	6GW50A	HP LaserJet Department Job Separator HP LaserJet Booklet Finisher				
	6GW53A					
	6GW55A					
	6GW56A					
		HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand				
	6HNB0A	HP LaserJet Workflow Accelerator Card				
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive				
	7ZAO8A	HP MFP 800 Analog Single Fax				
	8FP31A	HP Jetdirect LAN Accessory				
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive				
	B5L31A	HP Foreign Interface Harness				
	CC543B	HP SmartCard NIPRNet Solution for US Government				
	F8B30A	HP SmartCard SIPRNet Solution for US Government				
	X3D03A	HP USB Universal Card Reader				
	Y1G10A	HP LaserJet Hole Punch 2/3 Accessory				
	Y1G13A	HP Laser Jet Inner/Booklet Staples				
	Y1G14A	HP LaserJet Stapler/Stacker Finisher Staples				
	Y1G2ZA	HP LaserJet Paper Tray Heaters Accessory				
	Y7C05A	HP HIP2 Keystroke Reader				
	Y7C07A	HP SIM for HID iClass for HIP2 Reader				
Speed Licenses	8FP60AAF	HP Color LaserJet Managed MFP E877 40 to 50ppm License				
		HP Color LaserJet Managed MFP E877 40 to 60ppm License				
		HP Color LaserJet Managed MFP E877 40 to 70ppm License				
		HP Color LaserJet Managed MFP E877 50 to 60ppm License				
		HP Color LaserJet Managed MFP E877 60 to 70ppm License				
	8LB20AAE	HP Color LaserJet Managed MFP E877 50 to 70ppm License				

 $^{^{\}star} \text{ inner finisher/inner finisher hole punches are not compatible with 70 ppm} \\ ^{\star\star} \text{ HP Laser Jet Workflow Accelerator Card, 6HN30A will be available in January 2023.}$

Technical specifications

	Print, copy, scan, fax (optional)	•					
Print speed ^{3,2}	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
Tint speed	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
	First page out Letter Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AA		
	First page out Letter Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AA		
	First page out A4 Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AA		
	First page out A4 Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AA		
rint resolution		i full speed; Black (normal): Up to 600 x 6					
	to 600 x 600 dpi; Color (fine lines)	Up to 1200 x 1200 dpi					
rint technology	Laser; Optical: Normal (600 x 600	4 bit); Best (1200 x 1200 1 bit)					
rint cartridges number	4 (1 each black, cvan, magenta, ve	llow)					
	4 (Teach black, cyan, magenta, yellow) HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible						
tandard print languages			*				
rinter smart software featur	'es Print preview, duplex printing, pr	int multiple pages per sheet (2, 4, 6, 9, 16	5), collation, watermarks, store print j	obs, easy-access USB			
olor scanning	Yes						
can speed Normal⁵	Up to 150 ppm/300 ipm (b&w), up Letter ; Up to 300 ipm (b&w), up t	to 150 ppm/300 ipm (color) Letter ; Up to o 300 ipm (color) A4	o 150 ppm/300 ipm (b&w), up to 150 p	opm/300 ipm (color) A4 Duplex: Up to .	300 ipm (b&w), up to 300 ipm (colo		
can type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS						
can resolution	Hardware: Up to 600 x 600 dpi; 0	•					
			V05 DDE (05D) III 5	(0.50) 005 (4.(0.50) : " 5	DE (A (OCO), TEVE (OCO),		
can file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEX (OCR), RTF (OCR), HTML (OCR), CSV (OCR)						
can input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications						
can Size	ADF Maximum: 305 x 864 mm; 12 x 34 in ADF Minimum; 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in						
canner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps						
Ouplex ADF scanning							
•	Yes, single pass duplex scanning						
DF capacity	Standard, 300 sheets						
wain version	Version 2.4						
t depth / Grayscale levels	24-bit/256						
igital sending standard	Scan to e-mail: save-to-network	older: save-to-LISB drive: send to Sharer	point: send to ETD: send to sETD: send	to I AN fav: send to Internet Fav: Inca	al address book: SMTD over SSI : a		
eatures	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP, send to sFTP, send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; aut color sense; compact PDF; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan, job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten						
iopy speed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
эру эрссс	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)		
	A4 Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	Letter Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	Letter Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
		Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	A4 Black Dublex		Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	A4 Black Duplex A4 Color Duplex	UD to 40 CDITI					
	A4 Color Duplex	Up to 40 cpm As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AA)		
	A4 Color Duplex First copy out Letter Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)			
	A4 Color Duplex First copy out Letter Black First copy out Letter Color	As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA		
	A4 Color Duplex First copy out Letter Black	As fast as 4.9 sec			As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA		
opy resolution	A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA		
	A4Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 6	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA		
laximum number of copies	A4Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 6 Up to 9999 copies	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA		
Naximum number of copies Copier resize	A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 9999 copies 25 to 400%	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec 500 x 600 dpi; Color (text and graphics): U	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA		
laximum number of copies opier resize	A4Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 4 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im 2-ordering; content orientation; c	As fast as 4.9 sec As fast as 6.5 sec 500 x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stion; collation; booklet; IB scan; job build; job stion; collation; booklet; IB scan; Page Suppression; Auf	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orace; watermark; stamps; book moc	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically designs as fast as 4.9 sec (with 8EP61AAE)	etect color/monochrome; image		
aximum number of copies opier resize opier settings	A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 8 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; o preview; Image Shift; Paper Selec Color Removal; Job Separation; A	As fast as 4.9 sec As fast as 6.5 sec Soo x 600 dpi; Color (text and graphics): L age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job st tion; collate; Blank Page Suppression; Aul utomatically Straighten;	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orace; watermark; stamps; book moc	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically designs as fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA as fast as 4.3 sec (with 8EP62AA nnted picture, photograph); N-Up; Netect color/monochrome; image		
laximum nurrber of copies opier resize opier settings ax speed	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe	As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Soo x 600 dpi; Color (text and graphics): Leading to the second of	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Up to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to page	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically designs as fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA as fast as 4.3 sec (with 8EP62AA nnted picture, photograph); N-Up; Netect color/monochrome; image		
aximum nurrber of copies opier resize opier settings ax speed ax resolution	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to (Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; A Up ta: 33.6 kbps / Letter: 3 sec pe Black (best); Up to 300 x 300 dpi (As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Goo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page 100 x 400 dpi for received faxes only); Blank	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Up to 600 × 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pagadk (standard): 203 × 98 dpi	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans, erase edges, automatically dge; Multi-feed Detection; Reverse and	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA as fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa		
aximum number of copies opier resize opier settings ax speed ax resolution	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to (Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; A Up ta: 33.6 kbps / Letter: 3 sec pe Black (best); Up to 300 x 300 dpi (As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Goo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page 100 x 400 dpi for received faxes only); Blank	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Up to 600 × 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pagadk (standard): 203 × 98 dpi	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans, erase edges, automatically dge; Multi-feed Detection; Reverse and	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA as fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa		
aximum number of copies upier resize upier settings ax speed ax resolution ax Features	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax phone TAM Int dialing numbers: Up to 1000 numb	As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Soo x 600 dpi; Color (text and graphics): Leading to the second of	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pag add (standard); 203 x 98 dpi edd Yes Auto-redialing; Yes Fax delay edd Yes fool to receive only) Fax tele face supported: Yes Remote retrieval	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA		
eximum number of copies upier resize upier settings ux speed ux resolution ux Features andard connectivity	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; o preview; image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax prione TAM int dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec Soo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bad ollation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page Soo x 400 dpi for received faxes only); Blant o 500 pages Auto fax reduction supported to 500 pages Auto fax reduction supporter se (each with 210 destinations) PC internetwork; 1 Hardware Integration Pocket	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pag add (standard); 203 x 98 dpi edd Yes Auto-redialing; Yes Fax delay edd Yes fool to receive only) Fax tele face supported: Yes Remote retrieval	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA		
aximum number of copies upier resize upier settings ax speed ax resolution ax Features andard connectivity etwork capabilities	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; o preview; image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Ur supported: Yes Fax phone TAM int dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Goo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page 100 x 400 dpi for received faxes only); Blance supported: No Fax polling supporters (each with 210 destinations) PC internetwork; 1 Hardware Integration Pocket (v1000T Ethernet)	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pag add (standard); 203 x 98 dpi edd Yes Auto-redialing; Yes Fax delay edd Yes fool to receive only) Fax tele face supported: Yes Remote retrieval	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa ion supported: No Fax forwarding er supported: Vos Maximum speed andset supported: No		
aximum number of copies opier resize opier settings ax speed ax resolution ax Features candard connectivity etwork capabilities ireless capability	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; o preview; image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax prione TAM int dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Goo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page 100 x 400 dpi for received faxes only); Blance supported: No Fax polling supporters (each with 210 destinations) PC internetwork; 1 Hardware Integration Pocket (v1000T Ethernet)	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to pag add (standard); 203 x 98 dpi edd Yes Auto-redialing; Yes Fax delay edd Yes fool to receive only) Fax tele face supported: Yes Remote retrieval	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa ion supported: No Fax forwarding er supported: Vos Maximum speed andset supported: No		
aximum number of copies opier resize opier settings on ax speed on ax resolution on ax Features otherwise tandard connectivity etwork capabilities ireless capability	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; A Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax phone TAM int dialing numbers: Up to 1000 numl 1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec Goo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; r page 100 x 400 dpi for received faxes only); Blance supported: No Fax polling supporters (each with 210 destinations) PC internetwork; 1 Hardware Integration Pocket (v1000T Ethernet)	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Up to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to page ack (standard); 203 x 98 dpi ect Yes Auto-redialing; Yes Fax delay effect yes (poll to receive only) Fax teler face supportect. Yes Remote retrieval. 2nd generation (HIP2); 1 Hi-Speed Up.	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa ion supported: No Fax forwarding er supported: Vos Maximum speed andset supported: No		
aximum number of copies opier resize opier settings on ax speed on ax resolution on ax Features otherwise tendard connectivity etwork capabilities obile printing capability	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im 2-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; A Up ta: 33.6 kbps / Letter: 3 sec pe Black (best); Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax phone TAM int dialing numbers: Up to 1000 numl 1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase of Apple Air Print™; Mopria™ Certifie	As fast as 4.9 sec As fast as 6.5 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec Soo x 600 dpi; Color (text and graphics): Use age adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job stition; collate; Blank Page Suppression; Automatically Straighten; Ir page 400 x 400 dpi for received faxes only); Blant 500 pages Auto fax reduction supporterface supported: No Fax polling supporterface supported: No Fax polling supporter secach with 210 destinations) Printer network; 1 Hardware Integration Pocket (v)1000T Ethernet) If a hardware accessory	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Up to 600 x 600 dpi kground cleanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to page ack (standard); 203 x 98 dpi ect Yes Auto-redialing; Yes Fax delay effect yes (poll to receive only) Fax teler face supportect. Yes Remote retrieval. 2nd generation (HIP2); 1 Hi-Speed Up.	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically dige; Multi-feed Detection; Reverse and edges; Multi-feed Detection; Reverse and edges; Durk barricapability supported: No Junk barricapability supported: No Telephone has provided to the control of the control	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA nted picture, photograph); N-Up; etect color/monochrome; image Retry; Document Editing; Auto Pa ion supported: No Fax forwarding er supported: Vos Maximum speed andset supported: No		
laximum number of copies opier resize opier settings opier settings ox speed ox resolution ox Features tandard connectivity letwork capabilities of the control of the control ox feet or control ox feet ox f	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Ur supported; Yes Fax phone TAM int dialing numbers: Up to 1000 numi 1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase of Apple Air Print Tim; Mopria Tim Certifice Standard:6GB; Maximum6GB Ouad Core (1.6GHz), Dual Core (1.	As fast as 4.9 sec As fast as 6.5 sec Side of the sec of	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground deanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to page add (standard); 203 x 98 dpi ed: Yes fool to receive only) Fax teleface supported: Yes Remote retrieval; 2nd generation (HIP2); 1 Hi-Speed Usinit (optional); PrinterOn Print	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile exans; erase edges; automatically dige; Multi-feed Detection; Reverse and ge; Multi-feed Detection; Reverse and edsending: No Distinctive ring detect phone mode supported: No Junk barricapability supported: No Telephone h 5B 2.0 (host); 1 SuperSpeed USB 3.0 (d	As fast as 4.3 sec (with 8EP62AP As fast as 3.5 sec (with 8EP62AP As fast as 3.5 sec (with 8EP62AP As fast as 4.3 sec (with 8EP62AP meted picture, photograph); IN-Up; eted color/monochrome; Image Retry; Document Editing; Auto Pa ion supported: No Fax forwarding er supported: No Fax forwarding er supported: No Maximum speed andset supported: No evice); 1 SuperSpeed USB 3.0 (hos		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Mireless capability Memory Processor speed Duty cycle (monthly)	Af Color Duplex First copy out Letter Black First copy out Letter Color First copy out Af Black First copy out Af Black First copy out Af Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im Z-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; Al Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Ur supported; Yes Fax phone TAM int dialing numbers: Up to 1000 numi 1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase of Apple Air Print Tim; Mopria Tim Certifice Standard:6GB; Maximum6GB Ouad Core (1.6GHz), Dual Core (1.	As fast as 4.9 sec As fast as 6.5 sec Side and sec and graphics). Using a sec adjustments (darkness, contrast, bacillation; booklet; ID scan; job build; job station; collate; Blank Page Suppression; Automatically Straighten; repage 400 x 400 dpi for received faxes only); Blue to 500 pages Auto fax reduction supporterface supported: No Fax polling supporters (each with 210 destinations) PC internetwork; 1 Hardware Integration Pocket (71000T Ethernet) of a hardware accessory d; Wi-Fi® Direct Printing; NFC Touch-to-pi 4GHz) / Storage: Standard, embedded 50; itle Erase-Temporary Job Files, Secure Erice	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground deanup, sharpness); optimize orage; watermerk; stamps; book moe to Orientation; Auto Tone; Crop to pag ack (standard); 203 x 98 dpi red: Yes Auto-redialing; Yes Fax delay ed: Yes Auto-redialing; Yes Fax delay ed: Yes (poll to receive only) Fax tele face supported: Yes Remote retrieval 2 and generation (HIP2); 1 Hi-Speed U: rint (optional); PrinterOn Print OG GB hard disk drive / Hard disk: Star ase-Job Ddta, Secure ATA Erase-Disk) [Up to 200,000 pages (with	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically die, Multi-feed Detection; Reverse and edsending: No Distinctive ring detect phone mode supported: No Junk barricapability supported: No Telephone h 5B 2.0 (host); 1 SuperSpeed USB 3.0 (died and the principle of the phone h 5B 2.0 (host); 1 SuperSpeed USB 3.0 (died and the phone h 5B 2.0 (host); 1 SuperSpeed USB 3.0 (die	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA		
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities vireless capability flobile printing capability flemory rocessor speed	A4Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 6 Up to 9999 copies 25 to 400% Two-sided copying; scalability; im 2-ordering; content orientation; c preview; Image Shift; Paper Selec Color Removal; Job Separation; Ai Up to: 33.6 kbps / Letter: 3 sec pe Black (best): Up to 300 x 300 dpi (Fax memory: Up to 500 pages; Up supported: Yes Fax phone TAM int dialing numbers: Up to 1000 numl 1 Gigabit Ethernet 10/100/1000T Standard (built-in GiGABIT 10/10 Optional, enabled with purchase of Apple Air Print™; Mopria™ Certifice Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1. Secure erase capabilities (Secure	As fast as 4.9 sec As fast as 6.5 sec Side of the sec of	As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Jp to 600 x 600 dpi kground deanup, sharpness); optimize orage; watermark; stamps; book moc to Orientation; Auto Tone; Crop to page add (standard); 203 x 98 dpi add (stand	As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ed text/picture (Auto, text, mixed, prile scans; erase edges; automatically die; Multi-feed Detection; Reverse and electron of the scans; erase edges; automatically die; Multi-feed Detection; Reverse and electron of the scans of	As fast as 4.3 sec (with 8EP62AA As fast as 3.5 sec (with 8EP62AA As fast as 4.3 sec (with 8EP62AA		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond; Tray 1, 2, 3: 60 to 325 g/m²
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QKOBA In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	Wxdxh: 638.8 x 745.9 x 933.9 mm; 25.2 x 29.4 x 36.8 in Maximum: 1656.7 x 1301 x 1503.9 mm; 65.2 x 51.2 x 59.2 in
Product weight	104.6 kg; 230.6 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com.http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows 8; Windows Server; Linux; Citrix; UNIX
Minimumsystem	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at:
- http://standards.iso.org/ittf/PublidyAvailableStandards/SC28_Test_Pages/
 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.
 To enable HP Workpath, some devices may require optional accessory or firmware to be urgraded. Subscription may be required.
 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.
 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices representations between the common Criteria Information Technology.

frunning HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf . 5,100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

- 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.

 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Neasured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 3 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 4 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.















